

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 29.11.2012

Version number 1

Revision: 15.08.2012

### 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** TITAN CARGO SAE 15W-40
- **Article number:** 600712419
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**
  - SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites
  - SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Application of the substance / the preparation** Lubricant
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
  - FUCHS LUBRICANTS (UK) PLC.
  - New Century Street
  - Hanley
  - Stoke-on-Trent, Staffordshire, ST1 5HU
  - UK
  - e-mail: product.safety@fuchs-oil.com
- **Further information obtainable from:** Product safety department.
- **Emergency telephone number:** Emergency telephone: (UK) 01782 203700

### 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
  - R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Classification system:**
  - The classification is according to the latest editions of the EU-lists, and extended by company and literature data.
- **Label elements**
- **Labelling according to EU guidelines:**
  - Observe the general safety regulations when handling chemicals.
  - The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).
- **Risk phrases:**
  - 52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- **Safety phrases:**
  - 29 Do not empty into drains.
- **Special labelling of certain preparations:**
  - Contains Long chain alkyl thio carbamide metal complex. May produce an allergic reaction.
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** A blend of highly refined mineral oils with multifunctional additives.

(Contd. on page 2)

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 29.11.2012

Version number 1

Revision: 15.08.2012

**Trade name: TITAN CARGO SAE 15W-40**

(Contd. of page 1)

| · <b>Dangerous components:</b>           |  |         |
|--|--|---------|
|  | Highly refined mineral oil*<br>substance with a Community workplace exposure limit   | 50-100% |
| CAS: 68649-42-3<br>EINECS: 272-028-3     | Zinc alkyl dithiophosphate<br>☒ Xi R41; ☒ N R51/53<br>⚠ Eye Dam. 1, H318; ⚠ Aquatic Chronic 2, H411  | 1-2.5%  |
| CAS: 121158-58-5<br>EC number: 310-154-3 | Tetrapropenylphenol<br>☒ Xn R62; ☒ Xi R38-41; 🔥 F R11; ☒ N R50/53<br>⚠ Flam. Liq. 1, H224; ⚠ Repr. 2, H361; ⚠ Eye Dam. 1, H318;<br>⚠ Aquatic Acute 1; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315 | <0.25%  |
| ELINCS: 457-320-2                        | Long chain alkyl thio carbamide metal complex<br>☒ Xi R38; ☒ Xi R43<br>R52/53<br>⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Aquatic Chronic 3, H412  | <0.25%  |

· **Additional information:**

\*Contains one or more of the following EINECS numbers: 265-090-8, 265-091-3, 265-096-0, 265-097-6, 265-098-1, 265-101-6, 265-155-0, 265-156-6, 265-157-1, 265-158-7, 265-159-2, 265-160-8, 265-161-3, 265-166-0, 265-169-7, 265-176-5, 276-735-8, 276-736-3, 276-737-9, 276-738-4, 278-012-2.

Annex I Nota L applies to the base oil(s) in this product. Nota L - The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346.

For the wording of the listed phrases refer to section 16.

### 4 First aid measures

· **Description of first aid measures**

· **General information:** No special measures required.

· **After inhalation:** Supply fresh air; consult doctor in case of complaints.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:**

Check for and remove any contact lenses.

Rinse opened eye for several minutes under running water.

· **After swallowing:** Seek medical treatment.

· **Information for doctor:**

High pressure injection injuries through the skin require prompt surgical intervention and possibly steroid therapy, to minimise tissue damage and loss of function. Because entry wounds are small and do not reflect the seriousness of the underlying damage, surgical exploration to determine the extent of involvement may be necessary. Local anaesthetics or hot soaks should be avoided because they can contribute to swelling, vasospasm and ischaemia. Prompt surgical decompression, debridement and evacuation of foreign material should be performed under general anaesthetics, and wide exploration is essential.

· **Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Firefighting measures

· **Extinguishing media**· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire extinguishing methods suitable to surrounding conditions.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 29.11.2012

Version number 1

Revision: 15.08.2012

**Trade name: TITAN CARGO SAE 15W-40**

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:**
  - Wear self-contained respiratory protective device.
  - Wear fully protective suit.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
  - Particular danger of slipping on leaked/spilled product.
- **Environmental precautions:**
  - Do not allow to penetrate the ground/soil.
  - Prevent from spreading (e.g. by damming-in or oil barriers).
  - Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
  - Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
  - Send for recovery or disposal in suitable receptacles.
- **Reference to other sections** No dangerous substances are released.

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Prevent any seepage into the ground.
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- **Further information about storage conditions:** Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

#### Highly refined mineral oil\*

|     |  |
|-----|--|
| OEL | Short-term value: 10 mg/m <sup>3</sup><br>Long-term value: 5 mg/m <sup>3</sup> |
|-----|--|

- **Additional information:** The lists valid during the making were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
  - Select PPE appropriate for the operations taking place taking into account the product properties.
- **General protective and hygienic measures:**
  - The usual precautionary measures are to be adhered to when handling chemicals.
  - Do not carry product impregnated cleaning cloths in trouser pockets.
  - Avoid close or long term contact with the skin.
  - Do not eat, drink, smoke or sniff while working.
  - Do not inhale gases / fumes / aerosols.
  - Wash hands before breaks and at the end of work.
- **Respiratory protection:** Not required.

(Contd. on page 4)

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 29.11.2012

Version number 1

Revision: 15.08.2012

Trade name: TITAN CARGO SAE 15W-40

(Contd. of page 3)

### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · For the permanent contact gloves made of the following materials are suitable:

Nitrile rubber, NBR

Neoprene gloves

### · Not suitable are gloves made of the following materials:

Butyl rubber, BR

Natural rubber, NR

### · Eye protection: Goggles recommended during refilling

### · Body protection: Oil resistant protective clothing

## 9 Physical and chemical properties

### · Information on basic physical and chemical properties

#### · General Information

#### · Appearance:

Form: Fluid

Colour: Brown

· Odour: Mineral-oil-like

#### · Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: Undetermined.

· Flash point: &gt; 100°C

· Ignition temperature: &gt;250°C

· Self-igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Density at 15°C: 0.88 g/cm<sup>3</sup>

#### · Solubility in / Miscibility with

water: Not miscible or difficult to mix.

#### · Viscosity:

Kinematic at 40°C: 120 cSt

· Other information: No further relevant information available.

GB

(Contd. on page 5)

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 29.11.2012

Version number 1

Revision: 15.08.2012

**Trade name: TITAN CARGO SAE 15W-40**

(Contd. of page 4)

### 10 Stability and reactivity

- **Reactivity**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong oxidising agents.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
Prolonged and repeated contact with USED engine oils may cause serious skin disorders, including dermatitis and cancer. Engine oils are known to accumulate polycyclic aromatic hydrocarbons in use and there is evidence that used crankcase oils from petrol engines are carcinogenic to animals. Used engine oils fall within the definition of 'carcinogen' contained in reg2(1) of COSHH and thus the Carcinogens ACOP applies. Precautions advised by the Enforcing Authorities include controlling exposure by systems of work, personal protection and personal hygiene.  
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.  
When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** Inherently biodegradable
- **Behaviour in environmental systems:**
- **Bioaccumulative potential** Product is not expected to bioaccumulate.
- **Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Harmful to aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

GB

(Contd. on page 6)

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 29.11.2012

Version number 1

Revision: 15.08.2012

Trade name: TITAN CARGO SAE 15W-40

(Contd. of page 5)

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Delivery of waste oil to officially authorized collectors only.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

- **European waste catalogue**

|           |   |
|-----------|---|
| 13 02 05* | mineral-based non-chlorinated engine, gear and lubricating oils |
|-----------|---|

- **Uncleaned packaging:**

- **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Disposal must be made according to official regulations.

EWC 15 01 02 or 15 01 04

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### 14 Transport information

- **UN-Number**

|                               |      |
|-------------------------------|------|
| · <b>ADR, ADN, IMDG, IATA</b> | Void |
|-------------------------------|------|

- **UN proper shipping name**

|                               |      |
|-------------------------------|------|
| · <b>ADR, ADN, IMDG, IATA</b> | Void |
|-------------------------------|------|

- **Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

|                |      |
|----------------|------|
| · <b>Class</b> | Void |
|----------------|------|

- **Packing group**

|                          |      |
|--------------------------|------|
| · <b>ADR, IMDG, IATA</b> | Void |
|--------------------------|------|

- **Environmental hazards:**

- **Marine pollutant:** No

- **Special precautions for user**

Not applicable.

- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable to packaged goods.

- **Transport/Additional information:**

Not dangerous according to the above specifications.

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **National regulations:**

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57** None

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 7)

# Safety Data Sheet

## According to 1907/2006 EC - 453/2010 EC

Printing date 29.11.2012

Version number 1

Revision: 15.08.2012

**Trade name: TITAN CARGO SAE 15W-40**

(Contd. of page 6)

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- The Hazard / Risk phrases shown below are for those component substances which are listed in section 3 and not necessarily for the finished formulation.

- Hazards are concentration dependent. Therefore for the hazard classification and risk/safety phrases appropriate for the actual finished formulated product refer to section 2.

H224 Extremely flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H361 Suspected of damaging fertility or the unborn child.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

R11 Highly flammable.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitisation by skin contact.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R62 Possible risk of impaired fertility.

· **Department issuing SDS:** Product safety department.

· **Contact:** STEVEN PRITCHARD

· **\* Data compared to the previous version altered.**

GB